

Waidr Compact Three-phase Industrial Vacuum Cleaner



Technical Parameter

Model	WX80/22	WX80/30	WX80/40
Voltage (V)		380	
Power (KW)	2.2	3.0	4.0
Airflow (m ³ /h)	275	318	420
Vacuum (mbar)	248	270	270
Noise level (dB)	65	67	69
Filter area (cm ²)		28800	
Barrel capacity (L)		80	
Cable length (m)		5	
Inlet (mm)		40	
Filter type	HEPA and filter bag		
Machine weight (kg)	65	70	79
Machine size (mm)	1050*450*1130		

Features

1. The turbine fan can work 24h continuously and run smoothly.
2. Delixi control system, with overheating, overload, phase protection function;
3. Pressure relief valve: automatically open the compensation intake when the filter or suction is blocked to protect the motor.
4. Filter: The filter element is made of polyester fiber with filtering area of 28800cm², and the filter bag is used to filter fine dust and release clean air.
5. The machine body is fully made of stainless steel metal with strong bearing capacity and can adapt to different working conditions.
6. Barrel capacity 80L. By rear flipping dust bucket, it is quick and convenient to dispose the waste.
7. Can be used in conjunction with other devices, to be vacuuming which the working devices are running on the production line, which greatly improve work efficiency.

Working Environment

- ◊ Working area: Heavy industry, large warehouses, workshops, factories, etc., can be matched with production equipment.
- ◊ Suitable for vacuuming welding slag, grinding rust dust, liquid mixture, sand, particles, metal chips, etc.

Accessories

			
HEPA Filter	40mm Anti-static hose	40mm Dust brush	40mm Wet brush
			
Filter bag	40mm Flat Nozzle	40mm Round brush	40mm S-extension tube

APPLICATION

